



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/09/2017

Reviewed on 10/09/2017

### 1 Identification

· **Product identifier**

· **Product name: Acetic acid-sec.-butyl ester**

· **Part number: DRE-C10015710**

· **CAS Number:**

105-46-4

· **EC number:**

203-300-1

· **Index number:**

607-026-00-7

· **Application of the substance / the mixture** Reference material for laboratory use only

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

VHG Labs, Inc

LGC Standards

276 Abby Road

Manchester, NH 03103

UNITED STATES OF AMERICA

Tel : +1 (603) 622-7660

Fax : +1 (603) 622-5180

eMail : [custsvc@vhglabs.com](mailto:custsvc@vhglabs.com)

Web : [www.vhglabs.com](http://www.vhglabs.com)

· **Information department:**

Product safety department

eMail : [sds-request@lgcgroup.com](mailto:sds-request@lgcgroup.com)

· **Emergency telephone number:**

INFOTRAC 24-hour Emergency telephone number:

800-535-5053 (US & Canada);

352-323-3500 (International)

### 2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

· **Label elements**

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

· **Signal word** Danger

· **Hazard statements**

H225 Highly flammable liquid and vapor.

(Contd. on page 2)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/09/2017

Reviewed on 10/09/2017

**Product name: Acetic acid-sec.-butyl ester**

(Contd. of page 1)

**Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:****NFPA ratings (scale 0 - 4)****HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

**Other hazards****Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Substances****CAS No. Description**

105-46-4 sec-butyl acetate

**Identification number(s) -**· **EC number:** 203-300-1· **Index number:** 607-026-00-7· **RTECS:** AF 7380000

### 4 First-aid measures

**Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Rinse mouth. Do not induce vomiting.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/09/2017

Reviewed on 10/09/2017

**Product name: Acetic acid-sec.-butyl ester**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**
- **PAC-1:** 600 ppm
- **PAC-2:** 1700 ppm
- **PAC-3:** 10000 ppm

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Please refer to the manufacturers certificate for specific storage and transport temperature conditions.  
Store only in the original receptacle.

(Contd. on page 4)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/09/2017

Reviewed on 10/09/2017

**Product name: Acetic acid-sec.-butyl ester**

(Contd. of page 3)

- Keep container in a well-ventilated place. Keep away from sources of ignition and heat.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
  - Keep receptacle tightly sealed.
  - Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

#### 105-46-4 sec-butyl acetate

PEL	Long-term value: 950 mg/m <sup>3</sup> , 200 ppm
REL	Long-term value: 950 mg/m <sup>3</sup> , 200 ppm
TLV	Short-term value: 712 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 238 mg/m <sup>3</sup> , 50 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**
  - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
  - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
  - The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

- **Material of gloves** PVC or PE gloves
- **Penetration time of glove material**
  - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/09/2017

Reviewed on 10/09/2017

**Product name: Acetic acid-sec.-butyl ester**

(Contd. of page 4)

· **Eye protection:**

Tightly sealed goggles

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

· <b>Form:</b>	Liquid
· <b>Color:</b>	Colorless
· <b>Odor:</b>	Fruit-like
· <b>Odor threshold:</b>	Not determined.

· **pH-value:** Not determined.· **Change in condition**

· <b>Melting point/Melting range:</b>	-99 °C (-146 °F)
· <b>Boiling point/Boiling range:</b>	112.2 °C (234 °F)

· **Flash point:** 19 °C (66 °F)· **Flammability (solid, gaseous):** Not determined.· **Ignition temperature:** 410 °C (770 °F)· **Decomposition temperature:** Not determined.· **Auto igniting:** Not determined.· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.· **Explosion limits:**

· <b>Lower:</b>	1.3 Vol %
· <b>Upper:</b>	1.3 Vol %

· **Vapor pressure at 20 °C (68 °F):** 25 hPa (19 mm Hg)· **Density at 20 °C (68 °F):** 0.87 g/cm<sup>3</sup> (7.26 lbs/gal)· **Relative density** Not determined.· **Vapor density** Not determined.· **Evaporation rate** Not determined.· **Solubility in / Miscibility with**· **Water at 20 °C (68 °F):** 6.2 g/l· **Partition coefficient (n-octanol/water):** 1.72 logP

(Contd. on page 6)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/09/2017

Reviewed on 10/09/2017

**Product name: Acetic acid-sec.-butyl ester**

(Contd. of page 5)

- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** Stable under normal conditions.
- **Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**  
Formation of toxic gases is possible during heating or in case of fire.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

**LD/LC50 values that are relevant for classification:**

Oral	LD50	3200 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
  - **on the skin:** Based on available data, the classification criteria are not met.
  - **on the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
  - **Carcinogenic categories**
  - **IARC (International Agency for Research on Cancer)** Substance is not listed.
  - **NTP (National Toxicology Program)** Substance is not listed.
  - **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** No further relevant information available.

(Contd. on page 7)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/09/2017

Reviewed on 10/09/2017

**Product name: Acetic acid-sec.-butyl ester**

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose in accordance with national regulations.

## 14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN1123
- **DOT** Butyl acetates
- **ADR** 1123 Butyl acetates
- **IMDG, IATA** BUTYL ACETATES

- **Transport hazard class(es)**

- **DOT**



- **Class** 3 Flammable liquids
- **Label** 3

- **ADR, IMDG, IATA**



- **Class** 3 Flammable liquids
- **Label** 3

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/09/2017

Reviewed on 10/09/2017

**Product name: Acetic acid-sec.-butyl ester**

(Contd. of page 7)

· <b>Packing group</b>	II
· <b>DOT, ADR, IMDG, IATA</b>	II
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Warning: Flammable liquids
· <b>Danger code (Kemler):</b>	33
· <b>EMS Number:</b>	F-E,S-D
· <b>Stowage Category</b>	B
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1123 BUTYL ACETATES, 3, II

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is not listed.
- **TSCA (Toxic Substances Control Act):** Substance is listed.
- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value established by ACGIH)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **GHS label elements**  
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02

- **Signal word** Danger

(Contd. on page 9)





## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/09/2017

Reviewed on 10/09/2017

**Product name: Acetic acid-sec.-butyl ester**

(Contd. of page 8)

**· Hazard statements***H225 Highly flammable liquid and vapor.***· Precautionary statements***P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.**P240 Ground/bond container and receiving equipment.**P241 Use explosion-proof electrical/ventilating/lighting/equipment.**P280 Wear protective gloves/protective clothing/eye protection/face protection.**P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information in this Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, we cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. We warrant that the chemical meets the specifications set forth on the label. We (LGC/VHG/ARMI) disclaim any other warranties, expressed or implied with regard to the product supplied hereunder, its merchantability or its fitness for a particular purpose. The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. Read all precautionary information.

**· Date of preparation / last revision** 10/09/2017 / -**· Abbreviations and acronyms:***ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Flam. Liq. 2: Flammable liquids – Category 2*

(Contd. on page 10)



**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 10/09/2017

Reviewed on 10/09/2017

**Product name: Acetic acid-sec.-butyl ester**

(Contd. of page 9)

· **Sources**

*Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.*

· **Data compared to the previous version altered.** *All sections have been updated.*

US