

Certificate of Analysis

Dr. Ehrenstorfer

Reference Materials for
Residue Analysis

Product Identification

15711800 n-Octylbenzene
CA 1-Phenyloctane
IUPAC 1-Phenyloctane
Formula C₁₄H₂₂
Mol.Weight 190.33
CAS No. 2189-60-8

Expiry Date 19.05.2020

Lot Number 40430

Store at 20 °C ±4 °C

Please note: The expiry date is valid under recommended storage conditions only.

Toxicological Data



R Code 36/37/38

S Code 26-36/37/39

LD50 (Rats female/male in mg/kg) N/A

Physical Data

Phase liquid

Color colourless

Melt.Range

Boiling Range (lit.)

Analytical Data

Detection: GC/FID

Column: DB-5, 30 m, ID 0.25 mm

Inj.-Vol.: 1.00 µl

Flow: 1.0 ml/min

Ret.-Time: 15.88 min.

Method Details:

Injector: 280° C

Start Temperature: 60° C for 5 min

End Temperature: 280° C for 1 min

Gradient: 15° C/min

Identity: RT

Comment Purity was determined by external standard method.
No chromatogram available.

Water Content 0.0 % Determined by Karl-Fischer Titration

Det. Purity 99.0 % Tolerance/Uncertainty +/- 1.0 %

The uncertainty/tolerance of this standard is calculated in accordance with the EURACHEM/CITAC Guide - Quantifying Uncertainty in Analytical Measurement - Second Edition. The uncertainty given is the expanded combined uncertainty and represents an estimated standard deviation equal to the positive square root of the total variance of the uncertainty of components. The expanded uncertainty is U which is $U_c(y) \cdot K$, where K is the coverage factor at the 95% confidence level (K=2). The expanded uncertainty is based on the combination of uncertainties associated with each individual operation involved in the preparation of this product.

Certified on 19.05.2014

by Dipl. chem. S. Fischer

The Laboratory LGC Labor GmbH is accredited by DAkkS as indicated by the Accreditation Number D-RM-14174-01 has shown competence based on ISO Guide 34:2009 with relevant parts of DIN EN ISO/IEC 17025:2005 for production of certified reference materials in form of organic pure substances and in form of single and multi-component solutions organic pure substances.

LGC Labor GmbH · Bgm.-Schlosser-Str. 6 A · 86199 Augsburg · Germany
Phone +49 821 906080 · Fax +49 821 9060888 · info@analytical-standards.com
The warranty for this product is limited to the purchasing price of this product.