




Certificate of Analysis

Reference Standard

[2'-(1*H*-Tetrazol-5-yl)biphenyl-4-yl]methanol



Molecular Formula: C₁₄H₁₂N₄O
Molecular Weight: 252.27
CAS Number: [160514-13-6]

Catalogue Number: MM0168.14
Lot Number: 1142
Long-term Storage: 2 to 8 °C, dark
Appearance: off-white solid
Melting Point: 136 °C
Assay 'as is': 98.7 %

Date of shipment: **2015-July-04**

This certificate is valid for two years from the date of shipment provided the substance is stored under the recommended conditions.




I. Identity

The identity of the reference substance was established by following analyses.

Ia. ¹H-NMR Spectrum

Conditions: 400 MHz, DMSO-d₆


The structure is confirmed with the signals of the spectrum and their interpretation.





Ib. IR Spectrum

Method: Attenuated Total Reflection Fourier Transform Infrared (ATR-FTIR) Spectroscopy



The signals of the IR spectrum and their interpretation are consistent with the structural formula.

II. Purity

The purity of the reference substance was analysed by high performance liquid chromatography (HPLC).

HPLC Conditions:

Column:

Hypersil Gold (C18)
5 µm, 150 x 4.6 mm

Conditions:


1.0 ml/min, 40 °C
0 – 12 min Water/Acetonitrile 80/20
12 – 15 min Water/Acetonitrile to 50/50
15 – 20 min Water/Acetonitrile 50/50
20 – 25 min Water/Acetonitrile to 80/20
25 – 30 min Water/Acetonitrile 80/20 (v/v);
0.1 % H₃PO₄

Detector:

DAD
220 nm

Injector:

Auto
3 µl; 0.10192 mg/ml in
Methanol



Area Percent Report - Sorted by Signal

Pk #	Retention Time	Area	Area %
1	5.82	3812	0.06
2	10.83	6820573	99.01
3	15.68	1283	0.02
4	15.80	9547	0.14
5	16.70	25938	0.38
6	17.61	3282	0.05
7	17.65	4413	0.06
8	18.03	13828	0.20
9	18.35	1956	0.03
10	19.52	1784	0.03
11	20.25	2658	0.04
Totals		6889074	100.00

For the calculation the system peaks were ignored. The content of the analyte was determined as ratio of the peak area of the analyte and the cumulative areas of the purities, added up to 100 %.

Results:

Average 99.00 %
Number of results n=6
Standard deviation 0.02 %



III. Water Content

Method: Karl Fischer titration

Results:

Average	0.30 %
Number of results	n=3
Standard deviation	0.01 %

IV. Residual Solvents

Method: $^1\text{H-NMR}$

No significant amounts of residual solvents were detected (< 0.05 %).

V. Final Result

Total impurities (HPLC)	1.00 %
Water content	0.30 %
Residual solvents	n. d. (not detected)
Assay (100 % method)	98.70 %

The assay is assessed to be 98.7 % 'as is'

The assay 'as is' is equivalent to the assay based on the not anhydrous and not dried substance respectively.

Release Date: 2010-05-11

LGC GmbH

Dr. Sabine Schröder
Product Release